

Sensor de vacío Cerabar PMP21 KF DN 16

[Enlace al sitio web](#)



Descripción del producto

Rendimiento

- con certificación ATEX: II 2G Ex ia IIC T4 Gb
- Rango de medición 1000-1 mbar
- Precisión: más del ± 3 mbar

Información de pedido

Descripción del producto	Tensión nominal frecuencia de red	Tipo de enchufe	N° de artículo
Cerabar PMP21 KF DN 16	VACUU-BUS DC 24 V DC	ISO4400/M16	20635424

Artículos suministrados

Sensor de vacío para áreas peligrosas completos con brida pequeña KF DN 16 y el enchufe para el montaje de cable.

Accesorios

Datos técnicos

Rango de medición (mbar)	1000 - 1 mbar
Rango de medición (torr)	750 - 1 torr
Principio de medición	Edelstahl-Membran (1.4435), gasartunab., Absolutdruck
Incertidumbre de medición	< +/- 3 mbar
Conexión vacío	Brida KF DN 16
Temperatura ambiente admisible durante (operación)	10 - 40 °C
Temperatura ambiente admisible durante (almacenaje)	-10 - 60 °C
Máx. Temperatura media (en uso continuo)	40 °C
Máx. Temperatura media en tiempos cortos	80 °C
Material carcasa exterior	Carcasa metálica
Clase de protección según IEC 60529	IP 65
Conformidad ATEX	II 2G Ex ia IIC T4 Gb
Certificación NRTL	No
Interface	4 - 20 mA

Hoja de dimensiones



VACUUBRAND GMBH + CO KG
P.O. Box 1664
97877 Wertheim
T +49 9342 808 5550
F +49 9342 808 5555

info@vacuubrand.com
www.vacuubrand.com

VACUUBRAND®

VACUUBRAND is part of the Brand group, a manufacturer of high-quality and innovative laboratory equipment and vacuum technology with a global team of approx. 1,000 employees.

With highly motivated and qualified employees, we manufacture the world's most comprehensive product family for vacuum generation, measurement and control for the rough and fine vacuum range in the laboratory.

All with one goal:

Enabling our customers to run reliable, safe and efficient processes. This is why we commit ourselves to continuous innovation, first-class performance, and outstanding quality.

Engineering excellence is central to our ability to deliver products and solutions renowned for their quality, durability, and reliability. Innovative technology, high quality materials and extensive testing deliver unmatched performance - engineered and manufactured in Germany.

Together with you, our experts will find the best solution for your application and provide you with first-class service along the way.

BRAND (Shanghai) Trading Co., Ltd.
Shanghai, China

T +86 21 6422 2318
info@brand.com.cn
china.brand.com.cn

BRAND Scientific Equipment Pvt. Ltd.
Mumbai, India

T +91 22 42957790
customersupport@brand.co.in
www.brand.co.in

BRANDTECH® Scientific, Inc.
Essex, CT. United States of America

T +1 860 767 2562
info@brandtech.com
www.brandtech.com